




# Laboratory hall



<b>m<sup>2</sup></b>	200	<b>Characteristics</b>
<b>m</b>	20 x 10	
<b>m</b>	9	
<b>Epoxy</b>		
<b>170</b>		<b>Characteristics</b> Located at the main entrance of the building Possibility of total blackout Soundproofing Good acoustics Possibility of entrance of almost kind of vehicles (cars, boats, trucks, etc.) Electric power: see plan Internet: Wireless and 10 fixed access points (see plan)
<b>100</b>		
<b>56</b>		
<b>64</b>		
<b>180</b>		
<b>200</b>		



- ⊘** It is forbidden to apply adhesive or any other fixing system that damages the floor. Please, use paper tape before any other type of tape.
- It is forbidden to stick any kind of object on the walls or beam.
- !** The maximum capacities of the rooms have been calculated with the greatest use of space in mind, so they may vary depending on the layout chosen.
- The suspension of infrastructures, such as truss, lighting, projection, sound systems, and others must always be pre-approved by the Congress Centre.
- Be careful when passing heavy materials (pallet trucks, lifting platforms, etc.) over floor boxes.
- The facilities must be handed over in the same conditions as before.

- Access
- Beam
- ⚡ 32 A three-phase socket
- ⚡ 16 A single-phase socket
- ⊕ Internet socket (RJ45)